

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2457	((public near3 address) same (private enterprise) near3 address))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/09 09:33
L2	1127	(broadcast\$5 advertis\$7 notif \$10 announc\$10) near10 (public near3 (address ID identif\$8))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/09 09:55
L3	108	1 and 2	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/09 09:55
L4	35	3 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/09 09:55
L5	813	(direct\$5 straight\$5) near7 (public near3 (address ID identif\$8))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/09 10:03
L6	234	1 and 5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/09 10:03
L7	95	6 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/09 10:03
L8	199	(broadcast\$5 advertis\$7 notif \$10 announc\$10) near10 (public near3 (address ID identif\$8)) near10 (mobile user MS UE client subscriber)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/09 10:28
L9	91	8 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/09 10:29
S1	1819	((public near3 address) same (private near3 address) same network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S2	596	S1 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S3	234	S2 and "370"/\$.cds.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S4	491	S1 and ( (name address ID) near2 (table database server)) same (NAT (network\$4 near3 (translat\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03

S5	491	S1 and ( ( (name address ID) near2 (table database server)) same (NAT (network\$4 near3 transl\$5))) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S6	274	S5 and "370"/\$.cds.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S7	4832	370/352-356.cds. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S8	6242	370/389,392.cds. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S9	4014	370/401.cds. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S10	746	370/475.cds. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S11	2688	(( (name address ID) near2 (table database server stor\$5 memory maintain\$5)) same (NAT (network\$4 near3 transl \$5))) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S12	112	S7 and S11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S13	131	S8 and S11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S14	154	S9 and S11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S15	18	S10 and S11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S16	762	S11 and ( (dynamic\$6 vary\$5 varie\$3) near3 (address ID) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S17	36	S7 and S16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S18	53	S8 and S16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S19	43	S9 and S16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03

S20	8	S10 and S16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S21	4058	((broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7) near10 (address ID identif\$8)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address ID identif\$8) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S22	1504	S21 and (@pd<"20030905" or @riad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S23	231	S22 and (DNS (name near2 server)) and NAT	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S24	4058	((broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7) near10 (address ID identif\$8)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address ID identif\$8) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S25	1504	S24 and (@pd<"20030905" or @riad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S26	559	S25 and (DNS (name near2 server) DHCP)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S27	2667	((broadcast\$5 send\$5 sent transmi\$8 announc\$7) near5 (address ID identif\$8)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S28	962	S27 and (@pd<"20030905" or @riad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S29	108	S28 and 709/245.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S30	205	((((broadcast\$5 advertise) near5 (address ID identif\$8)) with network) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S31	296	((((broadcast\$5 advertis\$7) near5 (address ID identif\$8)) with network) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03

S32	112	S31 and (@pd<"20030905" or @riad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S33	573	( (without bypass\$5) near7 (NAT transl\$7 DNS)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S34	179	S33 and (@pd<"20030905" or @riad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S35	1	"7412004".pn.	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S36	54	new near3 (public\$5 global\$5) near3 address\$5 near7 (broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7 advertis\$7)	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S37	32	S36 and (@pd<"20030905" or @riad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S38	2	PCT/JPO3/06387	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S39	4017	(public\$5 global\$5) near3 address\$5 near7 (broadcast\$5 multicast\$5 send\$5 sent transmi\$8 announc\$7 advertis \$7)	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S40	595	(new expir\$5 chang\$5) near3 (public\$5 global\$5) near3 address\$5	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S41	255	S39 and S40	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S42	100	S41 and (@pd<"20030905" or @riad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S43	4	(SCD same handoff same list). clm.	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S44	1	"5109390".pn.	US-PGPUB; USPAT, JPO; IBM_TDB	OR	ON	2011/03/05 12:03

S45	34	("5673322"   "5793763"   "5805803"   "5822434"   "5835718"   "5884272"   "5907677"   "5918018"   "5961593"   "6003084"   "6006264"   "6052725"   "6052788"   "6154839"   "6182226"   "6298445"   "6321336"   "6502135"   "6571290"   "6591306"   "6704873"   "6725378"   "6778525"   "6789203"   "6829654").PN. OR ("7039721").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/03/05 12:03
S46	6080	(( (choos\$5 select\$5) near7 (predefin\$5 predetermin\$5) near3 (profile info\$8)) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S47	6080	(( (choos\$5 select\$5) near7 (predefin\$5 predetermin\$5) near3 (profile info\$8)) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S48	457	S47 and ("726"/\$.ccls. "370"/\$. ccls.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S49	22	S48 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S50	204	S47 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S51	182	S50 not S49	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S52	141	(( (choos\$5 select\$5) near7 ( (based adj on) basis accord \$5) near7 ((predefin\$5 predetermin\$5) near3 (profile info\$8))) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S53	60	(( (choos\$5 select\$5) near7 (subscriber client) near7 ( (based adj on) basis accord \$5) near7 (QOS priority bandwidth) ) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03

S54	2251	(public\$7 near2 address) same ( (private secur\$5 secret\$7 encrypt\$5 firewall\$5) near2 address)	US-PGPUB; USPAT	OR	ON	2011/03/05 12:03
S55	779	S54 and (@pd<"20030905" or @riad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S56	651	S55 and ("370".clas. "455". clas. "709".clas. "726".clas.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S57	3011	((public\$7 global\$7) near2 address) same ( (private secur\$5 secret\$7 encrypt\$5 firewall\$5) near2 address)	US-PGPUB; USPAT	OR	ON	2011/03/05 12:03
S58	752567	((broadcast\$5 send\$5 sent transmi\$8 announc\$7 notif\$7 identif\$7) near5 (address ID identif\$8))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S59	3085	((public\$7 global\$7) near2 address) same ( (private secur\$5 secret\$7 encrypt\$5 firewall\$5) near2 (address ID identif\$8))	US-PGPUB; USPAT	OR	ON	2011/03/05 12:03
S60	2868	S58 and S59	US-PGPUB; USPAT	OR	ON	2011/03/05 12:03
S61	55579	((broadcast\$5 send\$5 sent transmi\$8 announc\$7 notif\$7 identif\$7) near5 (address ID identif\$8)) with direct\$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S62	571	S59 and S61	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S63	30275	((broadcast\$5 send\$5 sent transmi\$8 announc\$7 notif\$7 identif\$7) near5 (address ID identif\$8)) near5 direct\$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S64	337	S59 and S63	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S65	21	S64 and daemon	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S66	16	S65 and (@pd<"20030905" or @riad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S67	3085	((public\$7 global\$7) near2 address) same ( (private secur\$5 secret\$7 encrypt\$5 firewall\$5) near2 (address ID identif\$8))	US-PGPUB; USPAT	OR	ON	2011/03/05 12:03

S68	30275	((broadcast\$5 send\$5 sent transmi\$8 announc\$7 notif\$7 identif\$7) near5 (address ID identif\$8)) near5 direct\$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S69	337	S67 and S68	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S70	144	S69 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2011/03/05 12:03
S71	2	"20050282494"	US-PGPUB; USPAT	OR	ON	2011/03/05 12:34

3/9/2011 11:17:40 AM

C:\Documents and Settings\psinkantarakorn\My Documents\EAST\Workspaces\10656834-2.wsp